: SADDLE FITTING, AFT (OUTBOARD/INBOARD)

Date: User: Thursday, 4/12/2007 8:44:59 AM

Kim Johnston

Process Sheet

Customer

: CU-DAR001 Dart Helicopters Services

Job Number

: 31718

Estimate Number

: 10534

P.O. Number

:NA

: 4/12/2007 This Issue

: NC : 30595

: MACHINED PARTS

Project Number **Drawing Revision** Material

Drawing Number

Drawing Name

Part Number

Due Date

: NIA

: N/A

; E

: D2574

: 4/30/2007

: D2574 REV E

Qty:

12 Um:

Each

Written By

Prsht Rev.

First Issue

Previous Run

Checked & Approved By

Comment

: Est Rev: I

As Per RevE

06-01-27

Additional Product

Job Number:



Seq. #:

Machine Or Operation:

Description:

1.0

7075-T7351 8.25X5.0X2.5



Comment: Qty.:

1.0000 Each(s)/Unit Total: 12.0000 Each(s)

7075-T7351 8.25X5.0X2.5

Make from D6101-005 billet for D2574

Ensure that grain is along 5.00" length

Batch No: 325052

2.0

HAAS1

Comment: HAAS CNC VERTICAL MACHINING #1

Program Batch No. 3314/8 Double check by:

1-Machine Step No 1 per Folio FA051 and inspect per attached Dimension Sheets 2-Machine Step No 2 per Folio FA051 and inspect per attached Dimension Sheets

3-Machine Step No 3 per Folio FA051 and inspect per attached Dimension Sheets

4-Deburr and remove all machining marks

5-Tumble to remove sharp edges.

12

12

12

3.0

MILLING CONV

CONVENTIONAL MILLING MACHINE

Comment: CONVENTIONAL MILLING MACHINE Machine keyway as per dwg D2573 & D2574

4.0

QC2

INSPECT PARTS AS THEY COME OFF MACHINE



Comment: INSPECT PARTS AS THEY COME OFF MACHINE



Page 1

Dart Aerospace Ltd

W/O:		WORK ORDER	CHANGES				
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
				·	-		
:					_		
Part No	:	PAR #: Fault Category:	NCR: Yes	No D	QA: 🏹	Date: ∠	7165111

QA: N/C Closed: ____ Date: ____

NCR:			ER NON-CONFORMAN	ON-CONFORMANCE (NCR)					
		Description of NC		Corrective Action Section I	3	Verification			
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector	
					r				
	-								
								·	
,				.					
•				٤					

NOTE: Date & initial all entries

Thursday, 4/12/2007 8:44:59 AM Date: User: Kim Johnston **Process Sheet** Drawing Name: SADDLE FITTING, AFT (OUTBOARD/INBOARD) Customer: CU-DAR001 Dart Helicopters Services Job Number: 31718 Part Number: D2574 Job Number: Description: Seq. #: Machine Or Operation: SECOND CHECK 5.0 QC8 Comment: SECOND CHECK HAND FINISHING1 HAND FINISHING RESOURCE #1 Comment: HAND FINISHING RESOURCE #1 Acid etch and Alodine as per QSI 005 4.1 7.0 POWDER COATING 11103706 Comment: POWDER COATING Powder Coat White Gloss (Ref: 4.3.5.1) as per QSI 005 4.3 INSPECT POWDER COAT/CHEMICAL CONVERSION 8.0 QC3 Comment: INSPECT PACKAGING 1 PACKAGING RESOURCE # 9.0 Comment: PACKAGING RESOURCE #1 Identify and Stock Location: 10.0 QC21 Comment: FINAL INSPECTION/W/O RELEASE U Sq. 55.12 Job Completion

Dart Aerospace

W/O:			WORK ORD	DER CHANGES		-			
DATE	STEP'		PROCEDURE CHANGE		Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approva QC Inspector
		•							
						-		٠	
Part No		PAR	#: Fault Category:	NC	R: Yes	No DQ	A:	_ Date: _	
					QA:	N/C Close	d:	_ Date: _	<u></u>
NCD.			WORK ORDER NON-	CONFORMANC	E (NC	R)			

NCR:		WORK ORDER NON-CONFORMANCE (NCR)									
		Description of NC		Corrective Action Section B	\\- =\!\$! - =4! - =						
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Verification Section C	Approval Chief Eng	Approval QC Inspector			
					-						
					*.						
1											

NOTE: Date & initial all entries

DART AEROSPACE LTD	Work Order:	31718
Description: Saddle, Aft Inboard	Part Number:	D2574
Inspection Dwg: D2574 Rev. E		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2574 Rev. E and record below:

			,	Recorded Actual Dimensions					
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	Ву	Date
Α	0.438	0.443	*DT8682	6.440	6.446	6.440	0446		
В	1.745	1.755		1.748	1.749	1.745	1747		
С	3.495	3.505		3499	3.500	3500	3.499		
D	1.745	1.755		1.749	1.749	1.749	1.747		
Е	7.990	8.010		8:001	8.004	8.007	8.004		
F	0.490	0.510		0496	157.0	0.489	0.498		
G	0.257	0.262	DT8683	5·260	0.260	0.260	0.260		
Н	0.375	0.380	-DT8684	0.377	0.377	6.377	0377		
ı	0.490	0.510		6.497	0.498	0.498	0478		
J	1.174	1.184		1.179	1.178	1.178	1.176		
K	0.558	0.578		0564	0.566	0.567	0.566		
L	1.174	1.184		1.179	1.178	1.178	1.176		
М	1.365	1.375		1.369	1.370	1.369	2499		
N	2.495	2.505		7.499	2.498	2.497	2499		
0	4.119	4.129		4.127	4.122	4.123	4.12		
Р	0.115	0.135		0.127	6.127	0.127	0.126		
Q	0.115	0.135		6.135	0-135	0./31	0/35		
R	0.240	0.260		0.252	6.252	0.252	D.252		
S	0.115	0.135		6-125	0.125	0.125	0126		
T	0.178	0.198		0188	0.188	0'188	0:188		
U	3.210	3.250		3.236	3.230	3.230	3.230		
V	0.230	0.250		0.777	0.239	0.238	0.7.78		
W	0.115	0.135		0.134	0.131	B-129	0-131		
Х	0.307	0.312		6311	0.311	0.310	0-310		
Υ	0.760	0.765		0.765	0.765	6.765	0.765		
Z	0.352	0.372		0.366	0.362	0.362	0.362		
AA	0.470	0.530		6.500	0.500	6.500	ك كوك		
AB	0.615	0.635		0-626	0.626	0 629	0627		
AC	0.053	0.073		0.063	0.063	0.063	~668		
AD	0.240	0.260		z 25/	6,249	0.249	0,245		
AE	1.500	1.520		1.510	1.511	1.511	1.5/0		
AF	0.115	0.135		6.135	6.135	6.135	6.135		
AG	0.240	0.280		6.760	6.260	0.260	0.26	ļ	
AH	0.240	0.260		0.248	0.249	0.250	0248		
Al	2.000	2.020		2.000	2.000	2.000	2.000		
AJ	0.023	0.043		0033	6.033	6-033	6033		
	Acc	ept/Reje	ct						

Measured by: しの	Audited by SI
Date: 070505	Date: 07.06.06

Rev	Date	Change	Revised by	Approved
Α		New Issue	RF	
В	02.09.27	Re-format; Added Rev. D	KJ	
С	.02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
.D	05.05.05	Added dimension Al	KJ/RF	- 1
Ē	05.12.05	Added dimension AJ	KJ/JLM 🚓	all

DART AEROSPACE LTD	Work Order:	31718
Description: Saddle, Aft Inboard	Part Number:	D2574
Inspection Dwg: D2574 Rev. E		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2574 Rev. E and record below:

			Recorded Actual Dimensions						
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	Ву	Date
Α	0.438	0.443	DT808 2	6.440	0.440	0.440	0.440		
В	1.745	1.755		1.749	1,750	1.748	1,748		ge.
С	3.495	3.505		3.498	3,500	3.497	3.499		
D	1.745	1.755		1.749	1.70	1.748	1.748		
E	7.990	8.010		8002	60.004	8.004	8,003		
F	0.490	0.510		0.500	0.494	0.498	o. 496		
G	0.257	0.262	DT868 3	0.260	0.260	0.260	0260		
Н	0.375	0.380	DT8684	0.377	6.377	0.371	0.377		
ı	0.490	0.510		0.498	0.496	0.499	0.498		
J	1.174	1.184		1.176	1178	1.177	1.176		
K	0.558	0.578		0.566	0-565	0568	0.565		
L	1.174	1.184		1.176	1.170	1.177	1.176		
M	1.365	1.375		1.369	1.367	1.369	1.368		
N	2.495	2.505		2.498	2.497	2.497	2.498		**
0	4.119	4.129		41.123	4.177	4.123	4.123		
Р	0.115	0.135		6-126	0.127	0.128	6.127		
Q	0.115	0.135		0.135	0.135	6.135	6.135		
R	0.240	0.260		0.252	0.252	0.252	0. 252		
S	0.115	0.135		0.123	0.122	0.123	6.126		
T	0.178	0.198		0.188	0.188	0.188	0.188		
Ų	3.210	3.250		3.238	3.230	3.230	3.230		
V	0.230	0.250		0.239	0.239	0.235	0.134		
W	0.115	0.135		6.132	0-133	0.130	6.134		
X	0.307	0.312		0.311	0.311	0:311	6.311		
Υ	0.760	0.765		0.765	0.765	0.76T	0.765		
Z	0.352	0.372		0.362	0.362	0.365	0.365		
AA	0.470	0.530	Access .	6.500	0.500	0.500	0.500		
AB	0.615	0.635		0.626	0.625	0.626	0.627		
AC	0.053	0.073		0.063	0.063	0.063	0063		
AD	0.240	0.260		6.248	0249	0.249	0.248		
AE	1.500	1.520		1.510	1.510	1.5/0	1.510	•	
AF	0.115	0.135		0.135	0.135	0.135	0.135		
AG	0.240	0.280		6.260	0.260	0.260	0.260		
AH	0.240	0.260		0.250	025/	0.249	0.252		
Al	2.000	2.020		2.000	2.000	2.000	Q.800		
AJ	0.023	0.043		0.033	8.033	0.033	a:33		
	Acc	ept/Reje	ct		_				

Measured by: Co	Audited by SD
Date: 07/05/06	Date: 67,06.07

Rev	Date	Change	Revised by	Approved
Α		New Issue	RF	
В	02.09.27	Re-format; Added Rev. D	KJ	
С	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
D	05.05.05	Added dimension Al	KJ/RF	- 1
E	05.12.05	Added dimension AJ	KJ/JLM 🚜	Gill

	Although the first section of the se				•
		,			
	·				
* * * * * * * * * * * * * * * * * * *					•
	5 · ·				
	•				
·1.					
est State					
	•	•			
					•
r Haranda Ma			<u>.</u>		
en de la companya de Na la companya de la					1
			•		
*. 	•			•	
				•	
			X.	,	, v.C
				<i>:</i>	
8 8 2 1 8 2 1					,
r Sgr					

. .


DART AEROSPACE LTD	Work Order:	31718	
Description: Saddle, Aft Inboard	Part Number:	D2574	
Inspection Dwg: D2574 Rev. E		Page 1 of 1	

Inspect dimensions highlighted on inspection sheet drawing D2574 Rev. E and record below:

·				Recorded Actual Dimensions					
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	Ву	Date
Α	0.438	0.443	DT868 2	6:440	0.440	0.440	0.440		
В	1.745	1.755		1.748	1.749	1.750	1.750		
С	3.495	3.505		3.500	3.500	3.500			
D	1.745	1.755		1.748.	1.749	1.749	1.750		
E	7.990	8.010		8.003	8.004	8.002	8.002		
F	0.490	0.510		0.801	0.497	SOO.	.SO2.		
G	0.257	0.262	D T8683	0.260	0.260	0.260	0.260		
Н	0.375	0.380	D T86 84	6.497	0.498	0377	0.377		
1	0.490	0.510		6497	0.498	.5 <i>0</i> 0	.500		
J	1.174	1.184		1.174	1.176	1.179	1.179		
K	0.558	0.578		0.263	0.567	563	-563		
L	1.174	1.184		1.174	1.176	1.177	1,177		
М	1.365	1.375		1.366	1.368	1.368	1.368		
Ν	2.495	2.505		2.497	2.496	2.499	2.499	-]	
0	4.119	4.129		4.122	4.170	4.122	4.122		
P	0.115	0.135		0.127	0.126	.125	.125		
Q	0.115	0.135		6.135	6.131	0.135	0.135		
R	0.240	0.260		0.252	0.523	*52 £	EZE.		
S	0.115	0.135		0.126	0-129	.125	.125		
T	0.178	0.198		6.198	0.188	6.188	0.138		
U	3.210	3.250		3.230	3.230	3.230	3.230		
V	0.230	0.250		0.240	0 239	OPC.	046.		•
W	0.115	0.135		6:132	6.132	.132	-133		·
Х	0.307	0.312		0.311	0.311	.312	,312		
Υ	0.760	0.765	•	0.765	0.765	0-765	0.765		
Z	0.352	0.372		0.367	0.365	367	.367		
AA	0.470	0.530		0.500	0.500	0500	6.500		
AB	0.615	0.635		0.676	0.627	.627	9K9,		
AC	0.053	0.073		0.663	0.068	0.063	0.063		
AD	0.240	0.260		0.248	1.248	·520	.250		
AE	1.500	1.520		1.510	1510	1.509	1,509		
AF	0.115	0.135		0.135	0.135	6 135	0.135		
AG	0.240	0.280		0.560	0.260	0.260	0.266		
АН	0.240	0.260		0.521	6.249	・ラミン	.350		
ΑI	2.000	2.020		2.000	0.000	0.000	0.000		
AJ	0.023	0.043		0.033	0 033	0.033	œ33		
	Acc	ept/Reje	ct						

		1		
Measured by:	En 1	MS	Audited by	ラ .L
Date:	0.	7/05/08	Date:	07/05/08

Rev	Date	Change	Revised by	Approved
Α		New Issue	RF	
В	02.09.27	Re-format; Added Rev. D	KJ	
С	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
D	05.05.05	Added dimension Al	KJ/RF	1
E	05.12.05	Added dimension AJ	KJ/JLM A	all



	The state of the s	
		•
•		
		8.
		•
		144
		٠.

		 •